



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/653,014	08/28/2003	Paul H. Shelley	BOEI-1-1194	2090
60483	7590	04/07/2006	EXAMINER	
LEE & HAYES, PLLC 421 W. RIVERSIDE AVE. SUITE 500 SPOKANE, WA 99201			WEBB, CHRISTOPHER G	
			ART UNIT	PAPER NUMBER
			2884	

DATE MAILED: 04/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER
----------

ART UNIT	PAPER
----------	-------

20060403

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Art Unit: 2884

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Frank Bozzo on 04 April 2006.

The application has been amended as follows:

28. (Amended) The method of Claim ~~27~~ 26, wherein deriving a ratio between the infrared absorbance of the sample at at least two wavenumbers includes deriving a ratio between infrared absorbance at around  $3900\text{ cm}^{-1}$  and at around  $900\text{ cm}^{-1}$ .

The amendment was deemed necessary because of the cancellation of claim 27.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher G. Webb whose telephone number is (571) 272-8449. The examiner can normally be reached on 9AM - 5:30PM M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David P. Porta can be reached on (571) 272-2444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2884

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CGW



DAVID PORTA  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2800